

Trade name: Valve Regulated Lead-Acid (VRLA) Industrial Battery

Current version : 4.0.0, issued: 29.07.2019

Replaced version: 3.1.0, issued: 09.07.2019

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Valve Regulated Lead-Acid (VRLA) Industrial Battery

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture
battery

Uses advised against
No data available.

1.3 Details of the supplier of the safety data sheet

Address

Eppendorf AG
Barkhausenweg 1
D-22339 Hamburg

Telephone no. +49 40 53801-0

Information provided by / telephone

Eppendorf Application-Hotline
Tel.: +49 1803 66 67 89
Fax: +49 4053 99 01 25
email: support@eppendorf.com

Advice on Safety Data Sheet

sdb_info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English):
+49 (0)551 192 40 (Giftinformationszentrum Nord)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification information

This product is in the sense of article 3 of the Regulation (EC) 1907/2006 (REACH) an article and not subject to the labelling obligations according to:

- Art. 1, Regulation (EC) 1272/2008 (CLP).

To provide a safety data sheet is not mandatory for articles according to art. 31 of the Regulation (EC) 1907/2006 (REACH) and is done on a voluntary basis.

2.2 Label elements

Not relevant

2.3 Other hazards

PBT assessment
No data available.

vPvB assessment
No data available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

This product does not contain substances to be mentioned according to EU Regulation No 1907/2006 (REACH), annex II.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

No special measures necessary. The first aid information refers to the electrolyte solution and is only relevant for leaking batteries.

After inhalation

Ensure supply of fresh air. In case of persisting adverse effects consult a physician.

After skin contact

In case of contact with skin wash off with water. Call a doctor immediately.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Call a doctor immediately.

After ingestion

Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. Do not induce vomiting. Call a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide; Dry chemical extinguisher; Foam

Unsuitable extinguishing media

Water

5.2 Special hazards arising from the substance or mixture

May explode if exposed to heat. In the event of fire, the following can be released: Carbon dioxide (CO₂); Carbon monoxide (CO); Sulphur oxides (SxO_y); Lead fumes

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Ensure adequate ventilation.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Send in suitable containers for recovery or disposal.

6.4 Reference to other sections

Information regarding safe handling, see chapter 7. Information regarding personal protective measures, see chapter 8. Information regarding waste disposal, see chapter 13.

SECTION 7: Handling and storage

EC safety data sheet

Trade name: Valve Regulated Lead-Acid (VRLA) Industrial Battery

Current version : 4.0.0, issued: 29.07.2019

Replaced version: 3.1.0, issued: 09.07.2019

Region: GB

7.1 Precautions for safe handling

Advice on safe handling

No special measures necessary if stored and handled as prescribed.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Wash soiled clothing. Wash hands before breaks and after work.

Advice on protection against fire and explosion

VRLA batteries emit hydrogen gas. Never install VLRA batteries in a gas-tight enclosure during storage, handling and usage.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Protect from heat and direct sunlight. Protect against humidity

Recommended storage temperature

Value -20 - 50 °C

Requirements for storage rooms and vessels

Keep only in the original container.

Incompatible products

Do not store together with: combustible materials

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

No parameters available for monitoring.

8.2 Exposure controls

Appropriate engineering controls

No data available.

Personal protective equipment

Respiratory protection

No special measures required.

Eye / face protection

No special measures required. If free electrolyte is present: safety goggles or face shield

Hand protection

No special measures required. If free electrolyte is present: acid resistend safety gloves

Other

Remove ALL metallic objects when working with VRLA batteries.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form/Colour
solid
grey; black
Odour
slight, original odour
Odour threshold
No data available
pH value

EC safety data sheet

Trade name: Valve Regulated Lead-Acid (VRLA) Industrial Battery

Current version : 4.0.0, issued: 29.07.2019

Replaced version: 3.1.0, issued: 09.07.2019

Region: GB

No data available
Boiling point / boiling range
No data available
Melting point / melting range
No data available
Decomposition point / decomposition range
No data available
Flash point
No data available
Auto-ignition temperature
No data available
Oxidising properties
No data available
Explosive properties
No data available
Flammability (solid, gas)
No data available
Lower flammability or explosive limits
No data available
Upper flammability or explosive limits
No data available
Vapour pressure
No data available
Vapour density
No data available
Evaporation rate
No data available
Relative density
No data available
Density
No data available
Solubility in water
No data available
Solubility(ies)
No data available
Partition coefficient: n-octanol/water
No data available
Viscosity
No data available

9.2 Other information

Other information
No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

EC safety data sheet

Trade name: Valve Regulated Lead-Acid (VRLA) Industrial Battery

Current version : 4.0.0, issued: 29.07.2019

Replaced version: 3.1.0, issued: 09.07.2019

Region: GB

10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

10.4 Conditions to avoid

Moisture. Heat; Temperatures > 50°C.

10.5 Incompatible materials

none, if handled according to order

10.6 Hazardous decomposition products

Hydrogen

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity	No data available
Acute dermal toxicity	No data available
Acute inhalational toxicity	No data available
Skin corrosion/irritation	No data available
Serious eye damage/irritation	No data available
Respiratory or skin sensitisation	No data available
Germ cell mutagenicity	No data available
Reproduction toxicity	No data available
Carcinogenicity	No data available
STOT - single exposure	No data available
STOT - repeated exposure	No data available
Aspiration hazard	No data available

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)	No data available
Toxicity to fish (chronic)	No data available
Toxicity to Daphnia (acute)	No data available
Toxicity to Daphnia (chronic)	No data available
Toxicity to algae (acute)	

EC safety data sheet

Trade name: Valve Regulated Lead-Acid (VRLA) Industrial Battery

Current version : 4.0.0, issued: 29.07.2019

Replaced version: 3.1.0, issued: 09.07.2019

Region: GB

No data available
Toxicity to algae (chronic)
No data available
Bacteria toxicity
No data available

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
PBT assessment	No data available.
vPvB assessment	No data available.

12.6 Other adverse effects

No data available.

12.7 Other information

Other information
Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse. Packaging that cannot be cleaned should be disposed of in agreement with the regional waste disposal company.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

Class	8
Classification code	C11
Hazard identification no.	80
UN number	UN2800
Proper shipping name	BATTERIES, WET, NON-SPILLABLE
Tunnel restriction code	E
Label	8

14.2 Transport IMDG

Class	8
UN number	UN2800
Proper shipping name	BATTERIES, WET, NON-SPILLABLE
EmS	F-A, S-B
Label	8

14.3 Transport ICAO-TI / IATA

Class	8
UN number	UN2800
Proper shipping name	Batteries, wet, non-spillable
Label	8

14.4 Other information

No data available.

EC safety data sheet

Trade name: Valve Regulated Lead-Acid (VRLA) Industrial Battery

Current version : 4.0.0, issued: 29.07.2019

Replaced version: 3.1.0, issued: 09.07.2019

Region: GB

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)			
According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.			

REACH candidate list of substances of very high concern (SVHC) for authorisation			
The article contains following substance/s that is/are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.			
No	Substance name	CAS no.	EC no.
1	lead massive [particle diameter ≥ 1 mm]	7439-92-1	231-100-4

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES				
The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.				
No	Substance name	CAS no.	EC no.	No
1	lead massive [particle diameter ≥ 1 mm]	7439-92-1	231-100-4	30, 63, 63, 72
2	lead-dioxide	1309-60-0	215-174-5	30, 63, 72

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances	
This product is not subject to Part 1 or 2 of Annex I.	

Other regulations	
Adhere to the national sanitary and occupational safety regulations when using this product.	

15.2 Chemical safety assessment

Not required.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

EC Directives 2000/39/EC, 2006/15/EC, 2009/161/EU

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding chapter.

Department issuing safety data sheet

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

EC safety data sheet

Trade name: Valve Regulated Lead-Acid (VRLA) Industrial Battery

Current version : 4.0.0, issued: 29.07.2019

Replaced version: 3.1.0, issued: 09.07.2019

Region: GB

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 731850